
eResearch

A Max Planck Perspective

Kurt Mehlhorn

Max-Planck-Institut für Informatik

Interim Head, Max Planck Digital Library



Overview

- The MPG
- eResearch, a Definition
- Max Planck Digital Library (MPDL): our central unit for eResearch infrastructure and tools
 - Information Provision
 - eSciDoc
 - Information Management (Pubman)
 - Research Tools (Scholarly Workbench)
- An example for eResearch
 - Knowledge Extraction from the Web
- Summary and Outlook



The MPG: A Characterization

- We are a research performing organization, not a funding agency
- Our mission: basic research of highest quality for the advance of science and for the benefit of humanity
- Our ambition: at the or near the top in the fields in which we engage in
- Structure: 78 research institutes
- Intensive cooperation with universities



The MPG: Some Numbers

- 78 institutes
 - 265 directors, 4000 PhDs, 4000 PhD students
- 30 locations
- Annual budget about 1.4 Billion Euro per year

(= TUM + LMU, < Harvard)
- 18 Nobel prizes in the last 50 years



- Institut /
Forschungsstelle
Institutes
- Teilinstitut /
Außenstelle
*Branches,
subinstitutes*
- Sonstige
Forschungs-
einrichtung
*Other research
facilities*



Locations

we are a distributed organization

cooperation between locations is our daily life

locations outside Germany (Nijmegen, Florence, Rome, Florida)



Fields

- We work in a diverse set of fields
 - Chemistry, Physics, Technology
 - Biology, Medicine, Brain Science
 - Humanities, Social Science, Law, History, Art, Psychology
- not as broad as most universities
- but more interdisciplinary



Our Scientific Standing

Chemistry

Number of "Top Papers" published by Top-Ranking Institutions, between January 1995 and October 2005

Top-ranked institutions within research field	top papers	total papers	% top papers
HARVARD UNIV	246	2.550	9,65
MIT	237	3.443	6,88
UNIV CALIF BERKELEY	278	4.972	5,59
ETH ZURICH	123	4.529	2,72
MAX PLANCK SOCIETY	276	11.242	2,46
UNIV TOKYO	147	8.073	1,82
KYOTO UNIV	143	8.869	1,61
CNRS	97	7.432	1,31
CHINESE ACAD SCI	87	20.622	0,42
RUSSIAN ACAD SCI	36	29.942	0,12

Auswertung: Informationsvermittlungsstelle / Information Retrieval Services for the institutes of the Bio.-Med. Section of the Max-Planck-Society <http://www.biochem.mpg.de/iv/>
Quelle: „ISI - Essential Science Indicators“ (<http://www.db-hosts.mpg.de/WoS/>)



Infrastructure, Tools, Instruments

Our research infrastructure
must match our research ambitions

Instrument (tool) building is an essential
part of doing science



Infrastructure, Tools, Instruments

- Buildings and Laboratories
- Libraries and Access to Information
- Telescopes, electron microscopes, DNA sequencers, semi-conductor lab, ...
- Computing Power, Communication Infrastructure

- Development of new instruments is an essential part of science: electron microscope, patch-clamp technique, frequency comb, ...
- It is much much more than service



eResearch =

Use of information technology
for enhancing research

my personal definition



Max Planck Digital Library

- **Max Planck Digital Library** (MPDL) is our new central unit for eResearch infrastructure and tools
- The axes:
 1. Information provision (journals and data bases)
 2. Information dissemination and open access
 3. Research tools
- considerable eResearch activities in the institutes (virtual observatory, intelligent search engines, bioinformatics, computational XXX, machine learning)
- Other relevant central units: Garching Computing Center, German Climate Computing Center




MPDL

- Founded in 2006
- Interim Heads: Kurt Mehlhorn, Jürgen Renn, Bernard Schutz
- Departments
 - Information Provision (Ralf Schimmer)
 - eResearch Tools (Malte Dreyer)
- Complemented by activities in many institutes
- Close cooperation MPDL --- institutes
- Link to eResearch activities outside MPG
 - FIZ, SUB Göttingen, Humboldt, DFG, DANS, NIMS, ...



Information Provision: Journal coverage



Very large electronic journal collection – also on international scale

Vast growth rate; even accelerated since MPDL foundation



Open Access

- Free Access to Publicly Financed Scientific Results
 - Scientists want to be read (and cited)
 - Science will advance faster
 - The society has the moral right to freely accessing the science it already paid for
 - Side effect: might reduce dependency on publishing houses
- MPS supports open access in many ways (see next slide)



Support for Open Access

- Political action, e.g., Berlin declaration
- Framework agreements with
 - Open access publishers, e.g., Copernicus, New Journal of Physics, Biomed Central, PLoS, ...
 - Traditional publishers, e.g., Springer
- Repositories (institute-level, MPS-level)
- Advice to our scientists about copyright agreements and how to change them
- Deposit mandate (under preparation)



Tools and Instruments

- Projects at MPDL
 - eSciDoc (Pubman and Scholarly Workbench)
- Cooperation projects
 - MPDL + institutes
 - MPDL and outside partners
- Research projects in institutes



eSciDoc Project

- Partners
 - FIZ Karlsruhe (eSciDoc infrastructure)
 - MPG (eSciDoc solutions)
- Funded by BMBF, Nixdorf Foundation, and internal sources
- Key persons
 - FIZ: Mathias Razum and Leni Helmes
 - MPG: Malte Dreyer
- Intended impact
 - Strategic project for FIZ and MPG
 - Impact beyond our own organizations (Leibniz, MPG)
 - **Open source and community model**



Pubman

- The repository solution
- Functionalities and user interfaces for the submission of publication data of multiple types and versions, such as article, conference-paper, poster, report, book, pictures, videos, primary data etc., along with the metadata needed for proper retrieval and long-term archiving.
- Advantage for our scientists: quality and completeness of data, export to local and institute home pages, versioning and persistence, export to search engines, long-term archiving
- Advantage for MPG: preservation of scientific output, open access, good scientific conduct
- Roll-Out has started (with enthusiastic feedback)



What hooked me

Since 2006, my publication list is generated on the fly from the data in the institute's repository, complete, up-to-date, correct, with links to full-text
D1 MPI-INF Publications, generated 10:33, 29 September 2009

381. Kurt Mehlhorn and Michael Sagraloff, A Deterministic Descartes Algorithm for Real Polynomials, ISSAC 2009

380. Kurt Mehlhorn and Peter Sanders, Algorithms and Data Structures: The Basic Toolbox, Springer, Berlin, 2009, 300 p.

.....

2. Kurt Mehlhorn, The 'almost all' theory of subrecursive degrees is decidable

In: Automata, languages and programming : 2nd colloquium (ICALP-74), Saarbrücken, Germany, September, 22-23, 1974, 317-325, [PDF: Download: [Mehlhorn_1974_d_m.pdf](#)]

1. Kurt Mehlhorn, On the Size of Sets of Computable Functions

In: 14th Annual Symposium on Switching & Automata Theory (SSAT-73), Iowa City, Iowa, USA, 1973, 190-196, [PDF: Download: [Mehlhorn_1973_a_m.pdf](#)]



Scholarly Workbench

- eSciDoc (Scholarly Workbench) is a framework for eResearch solutions

- Targeted solutions for institutes (joint projects)
 - WALIS Online (language description)
 - Faces (Images)
 - VIRR (primary textual sources)



Example: FACES

- Collaboration with MPI Bildungsforschung
 - Experiments on the recognition of emotions
 - Collection of annotated photographs, see next slide
 - FACES will be the basis for future experiments
- Solution was built fast and with small effort
 - 2,5 FTEs over 3 months
 - Reuse of generic eSciDoc framework
- A step towards a generic image management solution
 - NIMS (Japan) uses it for images of diamond cuts



Welcome to the **FACES** Collection for MPI for Human Development. Version 0.9.

Not Logged in users can only view the picture sets of six persons (72 pictures). If you want to apply for an account, please fill out the [application](#). Logged in users can see the picture sets of 171 persons (2052 pictures).

Show hits of 72 1 Number of pages : 6

Sort by Order is ascending




[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)



[View Details](#)

Show hits of 72 1 Number of pages : 6

Harvesting Knowledge from the WEB

Gerhard Weikum

MPI Informatik

In collaboration with Giorgiana Ifrim, Gjergji Kasneci,
Josiane Parreira, Maya Ramanath, Ralf Schenkel,
Fabian Suchanek, Martin Theobald



Gerhard's Goals

Opportunity: Web could be comprehensive **knowledge base**

Challenge: seize opportunity and turn vision into reality

Approach: combine and exploit synergies of

- **hand-crafted**, high-quality knowledge sources
- **automatic** knowledge extraction
- **social** networks and **human** computing



Why Google and Wikipedia Are Not Enough

- neutron stars with Xray bursts $> 10^{40}$ erg s⁻¹ & black holes in 10“
- archaeological sites with both Roman and Celtic female clothes
- differences in Rembetiko music from Greece and from Turkey
- connection between Thomas Mann and Goethe
- Nobel laureate who survived both world wars and all his children
- drama with three women making a prophecy to a British nobleman that he will become king


The information to answer these questions is available in the web.

We must find ways to harvest it.



High-Quality Knowledge Sources I

General-purpose **thesauri** and concept networks: **WordNet** family



cast into graph
enhanced with weights
for relation strengths,
derived from
co-occurrence statistics



High-Quality Knowledge Sources II

Wikipedia and other lexical sources



List of Nobel laureates

From Wikipedia, the free encyclopedia

Max Karl Ernst Ludwig Planck (April 23, 1858 – October 4, 1947 in Göttingen, Germany) was a German physicist. He is considered to be the founder of quantum theory, and therefore one of the most important physicists of the twentieth century.

Contents [hide]

- 1 Life and work
 - 1.1 Early Childhood
 - 1.2 Education
 - 1.3 Academic career
 - 1.4 Family
 - 1.5 Professor at Berlin University
 - 1.6 Black-body radiation
 - 1.7 Einstein and the Theory of Relativity
 - 1.8 World War and Weimar Republic
 - 1.9 Quantum mechanics
 - 1.10 Nazi dictatorship and Second World War
- 2 Honours and medals
- 3 See also
- 4 Publications
- 5 Bibliography
- 6 External links
 - 6.1 Biographies
 - 6.2 Articles
- 7 Notes

Max Planck



Max Karl Ernst Ludwig Planck

Born	April 23, 1858 Kiel, Germany
Died	October 4, 1947 Göttingen, Germany
Residence	 Germany
Nationality	 German
Field	Physicist
Institutions	University of Kiel Humboldt-Universität zu Berlin Georg-August-Universität Göttingen
Alma mater	Ludwig-Maximilians-Universität München
Academic advisor	Philipp von Jolly

Life and work [edit]

Early Childhood [edit]

Planck came from a traditional, intellectual family. His paternal great-grandfather and grandfather were both **theology** professors in Göttingen, his father was a law professor in Kiel and Munich, and his paternal uncle was a judge.

Planck was born in Kiel to Johann Julius Wilhelm Planck and his second wife, Emma Patzig. He was the sixth child in the family, though two of his siblings were from his father's first marriage. Among his earliest memories was the marching of Prussian and

From Wikipedia to YAGO

YAGO: Yet Another Great Ontology

[Suchanek/Kasneci/Weikum: WWW 2007]

- Turn Wikipedia into explicit knowledge base (semantic database)
- Exploit hand-crafted categories and templates
- Represent facts as explicit knowledge triples:

relation (entity1, entity2) 

(in FOL, compatible with RDF, OWL-lite, XML, etc.)


Examples:




NAGA: Graph Search with Ranking

Graph-based search on YAGO-style knowledge bases with built-in **ranking** based on **confidence** and **informativeness**


discovery queries



connectedness queries



queries with regular expressions



Information Extraction (IE): Text to Records

Max Planck

Max Karl Ernst Ludwig Planck (April 23, 1858 – October 4, 1947) was a German physicist who is considered to be the inventor of quantum theory.

Born in Kiel, Planck started his physics studies at Munich University in 1874, graduating in 1879 in Berlin. He returned to München in 1880 to teach at the university, and moved to Kiel in 1885. There he married Marie Merck in 1886. In 1889, he moved to Berlin, where from 1892 on he held the chair of theoretical physics.

In 1899, he discovered a new fundamental constant, which is named Planck's constant, and is, for example, used to calculate the energy of a photon. Also that year, he developed his own set of units of measurement based on fundamental physical constants. One year later, he discovered the law of heat radiation, which is named Planck's Law of Radiation. This law became the basis of quantum theory, which emerged later in cooperation with Albert Einstein and Niels Bohr.

Person	BirthDate	BirthPlace	...
Max Planck	4/23, 1858	Kiel	
Albert Einstein	3/14, 1879	Ulm	
Mahatma Gandhi	10/2, 1869	Porbandar	



Person	ScientificResult
Max Planck	Quantum Theory

Constant	Value	Dimension
Planck's constant	6.226×10^{23}	Js



Person	Collaborator
Max Planck	Albert Einstein
Max Planck	Niels Bohr

Person	Organization
Max Planck	KWG / MPG

combine NLP, pattern matching, lexicons, statistical learning



„Wisdom of Crowds“ at Work on Web 2.0


Information enrichment & knowledge extraction **by humans**:

- **Collaborative Recommendations:**
 - Google Page Rank
 - Amazon (product ratings & reviews, recommended products)
- **Social Tagging and Folksonomies**
 - del.icio.us: Web bookmarks and tags
 - flickr: photo annotation, categorization, rating
 - YouTube: same for video
- **Human Computing in Game Form**
 - ESP and Google Image Labeler: image tagging
 - Peekaboom: image segmenting and tagging
 - Verbosity: facts from natural-language sentences
- **Community Portals**
 - dblife.cs.wisc.edu for database research
 - www.lt-world.org for language technology



ESP Game [Luis von Ahn et al. 2004]

played against random, anonymous partner on Internet



taboo:
pyramid
Louvre
museum
Paris

- Game with a purpose
- Collects annotations (wisdom)
- Can exploit tag statistics (crowds)
- Attracts people, fun to play, some play hours
- ESP game collected > 10 Mio. tags from > 20000 users
- 5000 people could tag all photos on the Web in 4 weeks (human computing)

Congratulations!
You scored 1 point!

Mitterand
Mona Lisa
metro lignes 7, 14
Da Vinci code



4 Challenges

C1: Methods for automatically (and continuously) linking, matching, integrating **ontologies & high-quality sources**

C2: Scalable and robust **IE methods for knowledge harvesting,**

with precision/recall tuning & minimum human supervision

C3: Scalable and robust methods for **social wisdom**

C4: Combining the three methodological pillars with synergies



Summary and Outlook

- We have experienced substantial change over the last decade and this is going to continue
 - Recall that the first browser came in '95
- Information technology has and will affect how science is conducted
- Research organizations and universities must manage this change
 - The MPG is taking up this challenge
 - Improved cooperation MPDL – Computing Centers – Institute IST groups
 - Improved exchange: MPDL – research activities in institutes

